

**Importation of Fragrant and Ya Pear Fruit
from China
into the United States**

A Supplemental Pest Risk Assessment

Gary L. Cave, Ph.D., Entomologist
John W. Lightfield, Plant Pathologist

United States Department of Agriculture
Animal and Plant Health Inspection Service
Plant Protection and Quarantine
Biological Assessment and Taxonomic Support Staff
Pest Risk Analysis Branch
4700 River Road, Unit 133
Riverdale, MD 20737-1236

January, 1997

Table of Contents

A.	Introduction	1
B.	Risk Assessment	
1.	Initiating Event: Proposed Action	1
2.	Assessment of Weediness Potential (Table 1)	2
3.	Previous Risk Assessments, Current Status and Pest Interceptions	3
4.	Pest List: Pests Associated with <i>Pyrus</i> in China (Table 2)	3
5.	List of Quarantine Pests (Table 3)	25
6.	Quarantine Pests Likely to Follow Pathway (Quarantine Pests Selected for Further Analysis) (Table 4)	30
7.	Economic Importance: Consequences of Introduction (Table 5)	31
8.	Likelihood of Introduction (Tables 6 and 7)	32
9.	Pest Risk Potential (Table 8) and Phytosanitary Measures	33
C.	Literature Cited	34

A. Introduction

This pest risk assessment (PRA) was conducted by the United States Department of Agriculture, Animal and Plant Health Inspection Service, Plant Protection and Quarantine, Biological Assessment and Taxonomic Support Staff (USDA, APHIS, PPQ, BATS) on Ya pears, *Pyrus x bretschneideri* and fragrant pears, *P. ussuriensis* from China. The results are expressed qualitatively ("high" or "low"), rather than quantitatively (probabilities or frequencies). The risk assessment methodology and rating criteria can be found in the document: *Pathway-Initiated Pest Risk Assessment: Guidelines for Qualitative Assessments* (USDA, 1995) (available from the authors of this risk assessment and on the Internet at <http://www.aphis.usda.gov/ppq/bats/bant>). Authority for APHIS to regulate plant pests/plant products is derived from the Plant Quarantine Act of 1912, the Plant Pest Act of 1957, the Noxious Weed Act of 1974 and the Code of Federal Regulations, Title 7, Part 319, Subpart 56 (7 CFR 319.56 - Fruits and Vegetables). The methods and terminology used to initiate, conduct, and report this PRA are consistent with guidelines provided by FAO (1996) and NAPPO (1996).

This assessment supplements the September, 1994 assessment. Since completion of the 1994 assessment, several factors affecting PPQ's assessment of risks posed by the importation of pear fruit from China have changed, and the PPQ risk assessment methodology and format have been greatly enhanced.

Factors causing a reassessment of pear importation from China include:

1. The identification of a number of new pest species; the existence of these species was unknown or information was unavailable at the time of the original assessment.
2. The workplan under which the importation of pears would be allowed, has not been submitted to PPQ; the existence of the aforementioned "new" pests may affect this workplan, and mitigation options identified during the Risk Management phase of the analysis.
3. The methodology of the present risk assessment format is more transparent than the format used in the original assessment, and is more closely harmonized with current FAO/NAPPO risk assessment standards.

With this assessment, the 1994 assessment has been updated and reformatted in accordance with the current standards used by PPQ to conduct risk assessments, and supersedes the September 1994 assessment. However, the estimates of the unmitigated risks have not significantly changed from the original assessment.

B. Risk Assessment

1. Initiating Event: Proposed Action

This commodity-based, pathway-initiated, PRA was conducted to assess the risks associated with Ya pears, *Pyrus x bretschneideri* Rehder and fragrant pears, *P. ussuriensis* Maxim. from China. The authority regulating fruit and vegetable importations into the United States is 7 CFR 319.56.

2. Assessment of Weediness Potential of *Pyrus* spp.

The results of the weediness screening for *Pyrus* (Table 1) did not prompt a pest-initiated risk assessment.

Table 1: Process for Determining Weediness Potential of Commodity

Commodity: *Pyrus x bretschneideri* Rehder (Ya pear) and *Pyrus ussuriensis* Maxim. (*syn. = P. ussuriensis* var *ovoidea* Rehder) (fragrant pear)

Phase 1: *Pyrus x bretschneideri* is native to China and *Pyrus ussuriensis* is native to Northeast Asia . Neither occurs in the United States.

Phase 2: Answer Yes or No to the following questions:

Is the genus listed in:

NO *Geographical Atlas of World Weeds* (Holm *et al.*, 1979)

NO *World's Worst Weeds* (Holm *et al.*, 1977)

NO *Report of the Technical Committee to Evaluate Noxious Weeds; Exotic Weeds for Federal Noxious Weed Act* (Gunn and Ritchie, 1982)

NO *Economically Important Foreign Weeds* (Reed, 1977)

NO *Weed Science Society of America* list (WSSA, 1989)

NO Is there any literature reference indicating weediness (*e.g., AGRICOLA, CAB, Biological Abstracts, AGRIS*; search on "species name" combined with "weed").

Phase 3: Conclusion:

IF 1. The species is widely prevalent in the United States and the answer to all of the questions is **no**...

Proceed with the pest risk assessment.

2. The species is widely prevalent in the United States and the answer to **one or more** of the questions is **yes**...

Proceed with the pest risk assessment, provide comments on findings in text, and incorporate findings regarding weediness into the Risk Elements described below.

3. The species is new to or not widely prevalent in the United States and the answer to all of the questions is **no**...

Proceed with the pest risk assessment.

4. The species is new to or not widely prevalent in the United States and the answer to **one or more** of the questions is **yes**...

Consult authority under the Federal Noxious Weed Act for listing plant species as a noxious weed and consider the advisability of performing a pest-initiated pest risk assessment on the plant species. Provide explanations of findings in text.

3. Previous Risk Assessments, Current Status and Pest Interceptions

Decision History for *Pyrus* spp. from Asia

- 1994- Permit entry of *Pyrus bretschneideri* in accordance with PPQ- approved workplan and safeguards from the People's Republic of China.
- 1990- Permit entry of *Pyrus pyrifolia* in accordance with PPQ- approved workplan and safeguards from Korea.
- 1985- Permit entry of *Pyrus pyrifolia* from Japan.
- 1988- Deny entry of *Pyrus* spp. from China.
- 1986- Permit entry of *Pyrus pyrifolia* into Hawaii from Korea.
- 1982- Deny entry of *Pyrus pyrifolia* from Japan.
- 1979- Deny entry of *Pyrus communis* from Korea.
- 1974- Deny entry of *Pyrus pyrifolia* from China.
- 1974- Deny entry of *Pyrus communis* into Hawaii from Korea.
- 1971- Permit entry of *Pyrus pyrifolia* into Alaska from Japan.

Pest Interceptions on *Pyrus* from China - FY85-95

None

4. Pests associated with *Pyrus* spp. in China

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
ARTHROPODA				
<i>Acleris fimbriana</i> Thunburg (Lepidoptera: Tortricidae)	CN	y	a	China, 1994; Hill, 1987; Zhang, 1994
<i>Acleris variegana</i> Denis & Schiffermuller (Lepidoptera: Tortricidae)	CN, NA	y	a	Hill, 1987; Hodges, <i>et al.</i> , 1983; Zhang, 1994
<i>Acrocercops astaurota</i> Meyrick (Lepidoptera: Gracilariidae)	CN	<i>Pyrus</i>	a	NAS, 1977; Zhang, 1994
<i>Acronicta intermedia</i> Warren (Lepidoptera: Noctuidae)	CN	y	a, n	China, 1994; Zhang, 1994
<i>Acronicta rumicis</i> L. (Lepidoptera: Noctuidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Acronicta strigosa</i> Denis & Schiffermuller (Lepidoptera: Noctuidae)	CN	<i>Pyrus</i>	a	Zhang, 1994
<i>Actias selene</i> Hubner (Lepidoptera: Saturniidae)	CN	<i>Pyrus</i>	a	Hill, 1987; NAS, 1977

Table 2. Pests of *Pyrus*

Scientific name (Family)	Dist. ¹ (Country)	Host ² (Species)	Codes ³	References
<i>Adoretus tenuimaculatus</i> Waterhouse (Coleoptera: Scarabaeidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Adoxophyes orana</i> (Fischer von Roselerstamm) (Lepidoptera: Tortricidae)	CN	y	a, e, n, z _e	China, 1994; EPPO; Hill, 1987; PNKTO No. 62
<i>Agrilus mali</i> Matsumura (Coleoptera: Buprestidae)	CN	<i>Pyrus</i>	a	China, 1992
<i>Aleurocanthus spiniferus</i> (Quaintance) (Homoptera: Aleyrodidae)	CN	<i>Pyrus</i>	a, n	CIE, 1976; Hill, 1987; PNKTO No. 14
<i>Aleurocanthus woglumi</i> Ashby (Homoptera: Aleyrodidae)	CN, US (FL, TX)	<i>Pyrus</i>	a, g	CIE, 1995; EPPO; FAO; PNKTO No. 15
<i>Amphipyra pyramidaea</i> L. (Lepidoptera: Noctuidae)	CN	<i>Pyrus</i>	a, n	Shiraki, 1952
<i>Amsacta lactinea</i> (Cramer) (Lepidoptera: Arctiidae)	CN	y	a	Chang-sha, 1992 China., 1994
<i>Ancylis mandarinana</i> Walsingham (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Anomala corpulenta</i> Motschulsky (Coleoptera: Scarabaeidae)	CN	y	a	China, 1994
<i>Anoplophora chinensis</i> Forster (Coleoptera: Cerambycidae)	CN	<i>Pyrus</i>	a	Duffy, 1968; Shiraki, 1952
<i>Anoplophora glabripennis</i> Motschulsky (Coleoptera: Cerambycidae)	CN	y	a	Chang-sha, 1992; China, 1994
<i>Anthonomus pomorum</i> (L.) (Coleoptera: Curculionidae)	CN	<i>Pyrus</i>	a	Hanson, 1963; Hill, 1987; PNKTO No. 31; NAS, 1977
<i>Anuraphis</i> sp. (Homoptera: Aphididae)	CN	y	a	China, 1994; Hill, 1987
<i>Anuraphis piricola</i> Okamoto & Takahashi (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1984; Shiraki, 1952
<i>Aphanostigma iaksuiense</i> (Kishida) (Homoptera: Aphididae)	CN	f, y	a	Blackman and Eastop, 1984; China, 1994

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Aphis gossypii</i> Glover (Homoptera: Aphididae)	CN, US	<i>Pyrus</i>	a, c, o	Blackman and Eastop, 1984; Shiraki, 1952; Smith and Parron, 1978
<i>Aphis spiraecola</i> Patch (Homoptera: Aphididae)	CN, US	f, y	a, c, o	Blackman and Eastop, 1984, 1994; China, 1994; Smith and Parron, 1978
<i>Apocheima cinerarius</i> Erschov (Lepidoptera: Geometridae)	CN	f	a	China, 1994; Zhang, 1994
<i>Apocheima cinerarius pyri</i> Yang (Lepidoptera: Geometridae)	CN	f, y	a	China, 1994; Miyamoto, 1994
<i>Apocheima sinuosaria</i> Leech (Lepidoptera: Geometridae)	CN	<i>Pyrus</i>	k	Zhang, 1994
<i>Aporia crataegi</i> L. (Lepidoptera: Pieridae)	CN	f, y	a	Chang-sha, 1992; China, 1994; INKTO No. 149
<i>Apriona germari</i> (Hope) (Coleoptera: Cerambycidae)	CN	y	a	Chang-sha, 1992; China, 1994; Shiraki, 1952
<i>Archips breviplicanus</i> Walsingham (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Archips crataeganus</i> Hubner (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	a	Hill, 1987; Shiraki, 1952; Zhang, 1994
<i>Archips ingentanus</i> (Christoph) (Lepidoptera: Tortricidae)	CN	f	a	China, 1994; Hill, 1987; Shiraki, 1952
<i>Archips oporanus</i> (Christoph) (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	a	Hill, 1987; Zhang, 1994
<i>Archips rosanus</i> L (Lepidoptera: Tortricidae)	CN, US	<i>Pyrus</i>	a, c, o	Hill, 1987; Shiraki, 1952; Zhang, 1994
<i>Archips xylosteanus</i> L (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	a	Hill, 1987; Shiraki, 1952; Zhang, 1994
<i>Aromia bungii</i> Falderman (Coleoptera: Cerambycidae)	CN	y	a	Chang-sha, 1992; China, 1994
<i>Asias halodendri</i> (Pallas) (Coleoptera: Cerambycidae)	CN	y	a	China, 1994

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Aulacorthum magnoliae</i> (Essig & Kuwana) (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1994
<i>Bactrocera dorsalis</i> Hendel (Diptera: Tephritidae)	CN	<i>Pyrus</i>	n, z _i	CIE, 1994; Smith, <i>et al.</i> , 1992
<i>Blastodacna</i> sp. (Lepidoptera: Momphidae)	CN	y	a	China, 1994
<i>Blatodacna pyrigalla</i> (Yang) (Lepidoptera: Agonoxenidae)	CN	y	a	China, 1994; Park, 1986
<i>Brachycaudus cardui</i> (L.) (Homoptera: Aphididae)	CN, US	f	a, c	Blackman and Eastop, 1994; Smith and Parron, 1978
<i>Bryobia rubrioculus</i> (Scheuten) (Acarina: Tetranychidae)	CN, US	f	a, c	China, 1994; CIE, 1984; Hill, 1987; Jeppson <i>et al.</i> , 1975
<i>Byctiscus betulae</i> (L) (Coleoptera: Curculionidae)	CN	y	a	China, 1994; Geoffrion, 1979; Smol'yannikov, 1979.
<i>Calyptotrypus hibinonis</i> Matsumura (Orthoptera: Gryllidae)	CN	<i>Pyrus</i>	a	Hanson, 1963
<i>Canephora asiatica</i> Staudinger (Lepidoptera: Psychidae)	CN	<i>Pyrus</i>	a, n	Shiraki, 1952
<i>Carposina sasakii</i> Matsumura (Lepidoptera: Carposinidae)	CN	y	n, z _i	EPPO, INKTO No. 57; Smith, <i>et al.</i> , 1992
<i>Celastrina argiolus ladonides</i> de l'Orza (Lepidoptera: Lycaenidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Cenopalpus ruber</i> (Wainstein) (Acarina: Tenuipalpidae)	CN	f	a	China, 1994
<i>Ceroplastes japonicus</i> Green (Homoptera: Coccidae)	CN	y	a, n	China, 1994
<i>Ceroplastes rubens</i> Maskell (Homoptera: Coccidae)	CN, US (FL)	<i>Pyrus</i>	a, g, n	EPPO; Hamon and Williams, 1984; Johnson and Lyon, 1988; Shiraki, 1952

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Ceroplastes sinensis</i> Del Guercio (Homoptera: Coccidae)	CN, US (CA, NC, VA)	<i>Pyrus</i>	a, g, n	CIE, 1980; Hamon and Williams, 1984; Hill, 1987; Johnson and Lyon, 1988
<i>Chloroclystis rectangulata</i> (L) (Lepidoptera: Geometridae)	CN, US	f	c	Chang-sha, 1992; Hodges, <i>et al.</i> 1983; Miyamoto, 1994
<i>Choreutis pariana</i> Clerck (Lepidoptera: Choreutidae)	CN, US	<i>Pyrus</i>	a	Hodges, <i>et al.</i> , 1983; Johnson and Lyon, 1988; Zhang, 1994
<i>Choristoneura longicellana</i> (Walsingham) (Lepidoptera: Tortricidae)	CN	y	a	China 1994
<i>Chremonoma fortunei</i> Thomson (Coleoptera: Cerambycidae)	CN	<i>Pyrus</i>	a	Duffy, 1968; Shiraki, 1952
<i>Cicadella viridis</i> L. (Homoptera: Cicadellidae)	CN	y	a, n	China, 1994; Shiraki, 1952
<i>Cixius nervosus</i> L (Homoptera: Cixiidae)	CN	<i>Pyrus</i>	a	Metcalf, 1936; Shiraki, 1952
<i>Cnidocampa flavescens</i> Walker (Lepidoptera: Limacodidae)	CN, US (MA)	y	a	China, 1994; Hodges, <i>et al.</i> , 1983; Zhang, 1994
<i>Coccus hesperidum</i> L. (Homoptera: Coccidae)	CN, US	<i>Pyrus</i>	a, c, o	Gill, 1988; Hamon and Williams, 1984; Shiraki, 1952
<i>Conobathra bifidella</i> (Leech) (Lepidoptera: Pyralidae)	CN	y	?	China, 1994; Shiraki, 1952; Roesler, 1987.
<i>Conogethes punctiferalis</i> (Guenee) (Lepidoptera: Pyralidae)	CN	y	n, z _i	China, 1994; Clausen, 1931; INKTO No. 19; Shiraki, 1952
<i>Cossus cossus</i> L. (Lepidoptera: Cossidae)	CN	<i>Pyrus</i>	a, n	Zhang, 1994
<i>Cryptotympana atrata</i> (F) (Homoptera: Cicadidae)	CN	<i>Pyrus</i>	a	China, 1994; Hill, 1987; Metcalf, 1963; NAS, 1977
<i>Cydia funebrana</i> (Treitschke) (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	n, z _i	CIE, 1978; Hill, 1987; PNKTO No. 49
<i>Cydia inopinata</i> (Heinrich) (Lepidoptera: Tortricidae)	CN	y	z _i	EPPO; Smith, <i>et al.</i> , 1992

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Cydia molesta</i> Busck (Lepidoptera: Tortricidae)	CN, US	f, y	c, o, z _e , z _i	China, 1994; Metcalf and Metcalf, 1993; Zhang, 1994
<i>Cydia pomonella</i> (L) (Lepidoptera: Tortricidae)	CN, US	f	c, o, z _i	China, 1994; Hill, 1987; Hodges, <i>et al.</i> , 1983
<i>Dasychira pudibunda</i> L. (Lepidoptera: Lymantriidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952; Johnson and Lyon, 1988
<i>Didesmococcus koreanus</i> Borchsenius (Homoptera: Coccidae)	CN	y	a	China, 1994
<i>Dolycoris baccarum</i> L. (Heteroptera: Pentatomidae)	CN	y	a, n	Chang-sha, 1992; China, 1994
<i>Drosophila</i> sp. (Diptera: Drosophilidae)	CN	f	b	China, 1994
<i>Drosophila bimaculatus</i> (Diptera: Drosophilidae)	CN	f	b	China, 1994
<i>Drosophila tetraptunctata</i> Chang (Diptera: Drosophilidae)	CN	f	b	China, 1994
<i>Empoasca flavesrens</i> F. (Homoptera: Cicadellidae)	CN	<i>Pyrus</i>	a, n	Metcalf, 1968; Shiraki, 1952
<i>Eotetranychus pruni</i> (Oudemans) (Acarina: Tetranychidae)	CN, US	f	a, c	China, 1994; Jeppson <i>et al.</i> , 1975
<i>Eriophyes pyri</i> Pagenstecher (Acarina: Eriophyidae)	CN, US	f	c, o	China, 1994; Metcalf and Metcalf, 1993
<i>Erthesina fullo</i> (Thunburg) (Heteroptera: Pentatomidae)	CN	y	n	Chang-sha, 1992; China, 1994
<i>Euconocephalus varius</i> Walker (Orthoptera: Tettigoniidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Eucorysses grandis</i> Thunberg (Heteroptera: Pentatomidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Eudocima fullonia</i> Clerck (Lepidoptera: Noctuidae)	CN	<i>Pyrus</i>	e, z _e	Shiraki, 1952; Zhang, 1994
<i>Eudocima salaminea</i> Cramer (Lepidoptera: Noctuidae)	CN	<i>Pyrus</i>	e, z _e	Shiraki, 1952; Zhang, 1994

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Eudocima tyrannus</i> Guenée (Lepidoptera: Noctuidae)	CN	<i>Pyrus</i>	e, z _e	Shiraki, 1952; Zhang, 1994
<i>Eulecanium circumfcpul</i> ? Borch. (Homoptera: Coccidae)	CN	f	a	Miyamoto, 1994
<i>Eulecanium kunoense</i> Kuwana (Homoptera: Coccidae)	CN, US (CA)	y	a, g	China, 1994; Gill, 1988
<i>Eulecanium longisetum</i> Borehs. (Homoptera: Coccidae)	CN	f	a	China, 1994
<i>Eulecanium prunastri</i> Aroh. (Homoptera: Coccidae)	CN	f	a	China, 1994
<i>Eumeta miniscula</i> Butler (Lepidoptera: Psychidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952; Zhang, 1994
<i>Euproctis bipunctapex</i> Hampson (Lepidoptera: Lymantriidae)	CN	<i>Pyrus</i>	a	Zhang, 1994
<i>Euproctis similis</i> (Fuessly) (Lepidoptera: Lymantriidae)	CN, US	y	a, n	China, 1994; Hill, 1987; Hodges, et al., 1983
<i>Euproctis subflava</i> Bremer (Lepidoptera: Lymantriidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Gastropacha ilicifolia japonica</i> Leech (Lepidoptera: Lasiocampidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Gastropacha quercifolia</i> L (Lepidoptera: Lasiocampidae)	CN	y	a	China, 1992; INKTO No. 189; Shiraki, 1952
<i>Geisha distinctissima</i> Walker (Homoptera: Flatidae)	CN	<i>Pyrus</i>	a	Metcalf, 1957; Shiraki, 1952
<i>Halyomorpha picus</i> (F) (Heteroptera: Pentatomidae)	CN	y	n	China, 1994; NAS, 1977; Shiraki, 1952
<i>Heterogenea dentata</i> Oberthür (Lepidoptera: Limacodidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952; Zhang, 1994
<i>Holocerus vicarius</i> Walker (Lepidoptera: Cossidae)	CN	f	a	China, 1994; Shiraki, 1952

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Homona coffearia</i> Nietner (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952; Zhang, 1994
<i>Homaloxonia obtusa</i> Walker (Heteroptera: Pentatomidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Hoplocampa brevis</i> (Klug) (Hymenoptera: Tenthredinidae)	CN	<i>Pyrus</i>	a, c	Hill, 1987
<i>Hoplocampa pyricola</i> Rohwer (Hymenoptera: Tenthredinidae)	CN	y	a, z _e	China, 1994; Japan, 1966; NAS, 1977; Shiraki, 1952
<i>Icerya purchasi</i> Maskell (Homoptera: Margarodidae)	CN, US	<i>Pyrus</i>	a, c	Johnson and Lyon, 1988; Shiraki, 1952
<i>Illiberis pruni</i> Dyar (Lepidoptera: Zygaenidae)	CN	y	c	Chang-sha, 1992; China, 1994; Shiraki, 1952
<i>Janus gussakovskii</i> Maa (Hymenoptera: Cephidae)	CN	y	a	China, 1994; Metcalf and Metcalf, 1993
<i>Janus piri</i> Okam and Muram (Hymenoptera: Cephidae)	CN	y	a	China, 1994; Metcalf and Metcalf, 1993
<i>Lampra</i> sp. (Coleoptera: Buprestidae)	CN	<i>Pyrus</i>	a	Hill, 1987; NAS, 1977
<i>Lampra bellula</i> Lewis (Coleoptera: Buprestidae)	CN	y	a	China, 1994; Hill, 1987
<i>Lampra limbata</i> Gebler (Coleoptera: Buprestidae)	CN	y	a	China, 1994; Hill, 1987; NAS, 1977
<i>Langia zenzeroides</i> Moore (Lepidoptera: Sphingidae)	CN	<i>Pyrus</i>	a	Zhang, 1994
<i>Ledra auditura</i> Walker (Homoptera: Cicadellidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Leucoptera malifoliella</i> (O.G. Costa) (Lepidoptera: Elachistidae)	CN	y	a, n, z _e	PNKTO No. 63
<i>Liparis aurora</i> Butler (Lepidoptera: Liparidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Lymantria dispar</i> L (Lepidoptera: Lymantriidae)	CN, US	f, y	a, h	China, 1994; Shiraki, 1952

Table 2. Pests of *Pyrus*

Scientific name (Lepidoptera: Lymantriidae)	Dist. ¹ CN	Host ² <i>Pyrus</i>	Codes ³ a	References INKTO No. 8
<i>Lymantria monacha</i> L. (Lepidoptera: Lymantriidae)	CN	<i>Pyrus</i>	a	INKTO No. 8
<i>Macrovespa crabro crabroniformis</i> Smith (Hymenoptera: Vespidae)	CN	<i>Pyrus</i>	b	Shiraki, 1952
<i>Macrovespa ducalis</i> Smith (Hymenoptera: Vespidae)	CN	<i>Pyrus</i>	b	Shiraki, 1952
<i>Macrovespa mandarina</i> Smith (Hymenoptera: Vespidae)	CN	<i>Pyrus</i>	b	Shiraki, 1952
<i>Malacosoma neustria testacea</i> Motschulsky (Lepidoptera: Lasiocampidae)	CN	y	a, n	China, 1994; INKTO No. 39; Shiraki, 1952
<i>Malacosoma parallela</i> Staudinger (Lepidoptera: Lasiocampidae)	CN	f	a	China, 1994
<i>Marumba gaschewitschi</i> (Bremer & Grey) (Lepidoptera: Sphingidae)	CN	y	a, c	China, 1994; Hill, 1987; Zhang, 1994
<i>Marumba gaschkevitschii gressitti</i> (Bremer & Grey) (Lepidoptera: Sphingidae)	CN	<i>Pyrus</i>	a	Lin, 1987
<i>Metriona thais</i> Boheman (Coleoptera: Chrysomelidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Metzneria</i> sp. (Lepidoptera: Gelechiidae)	CN	<i>Pyrus</i>	a	NAS, 1977
<i>Miresa flavidorsalis</i> Staudinger (Lepidoptera: Limacodidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Neoris haraldi</i> Schawerda (Lepidoptera: Saturniidae)	CN	f	a	China, 1994
<i>Nephopterix</i> sp. (Lepioptera: Pyralidae)	CN	f	a	China, 1994
<i>Nippolachnus piri</i> Matsumura (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1984; Shiraki, 1952

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Numonia pirivorella</i> Matsumura (Lepidoptera: Pyralidae)	CN	<i>Pyrus</i>	z _i	NAS, 1977; Smith, <i>et al.</i> , 1992; Zhang, 1994
<i>Odites ricinella</i> Stainton (Lepidoptera: Lecithoceridae)	CN	<i>Pyrus</i>	a	Shiraki, 1952; Zhang, 1994
<i>Odonestis pruni</i> L (Lepidoptera: Lasiocampidae)	CN	y	a	China, 1994; Shiraki, 1952
<i>Oides leucostolk</i> Meyrick (Coleoptera: Chrysomelidae)	CN	y	a	China, 1994
<i>Oraesia excavata</i> Butler (Lepidoptera: Noctuidae)	CN	<i>Pyrus</i>	e, n, z _e	Shiraki, 1952; Zhang, 1994
<i>Orgyia gonostigma approximans</i> Butler (Lepidoptera: Lymantriidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Oryctes punctipennis</i> Motschulsky (Coleoptera: Scarabaeidae)	CN	f	a	China, 1994
<i>Ovatus malisuctus</i> (Matsumura) (Homoptera: Aphididae)	CN	f	a	Blackman and Eastop, 1994; China, 1994
<i>Oxycarenus hyalinipennis</i> (Costa) (Heteroptera: Lygaeidae)	CN	<i>Pyrus</i>	n, z _e	PNKTO No. 38
<i>Oxycetonia jucunda</i> Falderman (Coleoptera: Scarabaeidae)	CN	y	a, n	China, 1994; Shiraki, 1952
<i>Pandemis</i> sp. (Lepidoptera: Tortricidae)	CN	f	z _e	China, 1994
<i>Pandemis cerasana</i> (Hubner) (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	z _e	Zhang, 1994
<i>Pandemis heparana</i> Denis & Schiffermuller (Lepidoptera: Tortricidae)	CN, NA	<i>Pyrus</i>	o, z _e	Carter, 1984; Zhang, 1994
<i>Panonychus ulmi</i> Koch (Acarina: Tetranychidae)	CN, US	y	a, c	China, 1994; CIE, 1972; Hill, 1987; Jeppson <i>et al.</i> , 1975
<i>Parabemisia myricae</i> (Kuwana) (Homoptera: Aleyrodidae)	CN, US (CA, FL)	<i>Pyrus</i>	g, n	CIE, 1992; EPPO; Shiraki, 1952

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Parapandemis chondrillana</i> Herrich-Schäffer (Lepidoptera: Tortricidae)	CN	f	a	China, 1994; Zhang, 1994
<i>Parasa consocia</i> Walker (Lepidoptera: Limacodidae)	CN	y	a	China, 1994; Shiraki, 1952; Zhang, 1994
<i>Parasa hilarata</i> Staudinger (Lepidoptera: Limacodidae)	CN	y	a	China, 1994; Shiraki, 1952; Zhang, 1994
<i>Parasa sinica</i> Moore (Lepidoptera: Limacodidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952; Zhang, 1994
<i>Parasaissetia nigra</i> Nietner (Homoptera: Coccidae)	CN, US	<i>Pyrus</i>	a, c, o	Gill, 1988; Hamon and Williams, 1984; Shiraki, 1952
<i>Paratrachelophorus longicornis</i> Roelofs (Coleoptera: Curculionidae)	CN	<i>Pyrus</i>	?	Shiraki, 1952
<i>Paropsides duodecimpustulata</i> Gebler (Coleoptera: Chrysomelidae)	CN	<i>Pyrus</i>	a	NAS, 1977
<i>Parthenolecanium corni</i> (Bouche) (Homoptera: Coccidae)	CN, US	f	a, c, o	China, 1994; Hamon and Williams, 1984; Hill, 1987; Johnson and Lyon, 1988
<i>Pempelia heringii</i> Ragonot (Lepidoptera: Pyralidae)	CN	<i>Pyrus</i>	a	Zhang, 1994; Patel <i>et al.</i> , 1993
<i>Phalera assimilis</i> Bremer & Grey (Lepidoptera: Notodontidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Phalera flavescens</i> Bremer & Grey (Lepidoptera: Notodontidae)	CN	y	a	China, 1994; Hill, 1987; Shiraki, 1952; Zhang, 1994
<i>Phlossa conjuncta</i> Walker (Lepidoptera: Limacodidae)	CN	y	a	China, 1994; Zhang, 1994
<i>Phyllonorycter blancardella</i> F. (Lepidoptera: Gracillariidae)	CN, US	f	a	China, 1994; Hill, 1987; Hedges, <i>et al.</i> , 1983
<i>Phyllonorycter ringoniella</i> Matsumura (Lepidoptera: Gracillariidae)	CN	y	a	China, 1994; Hill, 1987; Zhang, 1994
<i>Phyllophaga parallelala</i> Motschulsky (Coleoptera: Scarabaeidae)	CN	y	a	China, 1994; Shiraki, 1952

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Planococcus citri</i> (Risso) (Homoptera: Pseudococcidae)	CN, US	<i>Pyrus</i>	a, c, o	Johnson and Lyon, 1988; McKenzie, 1967; Shiraki, 1952
<i>Platyleura kaempferi</i> F. (Homoptera: Cicadidae)	CN	<i>Pyrus</i>	n	Metcalf, 1963; Shiraki, 1952
<i>Polistes hebraeus</i> F. (Hymenoptera: Vespidae)	CN	<i>Pyrus</i>	b	Shiraki, 1952
<i>Popillia quadrigutta</i> Fabricino (Coleoptera: Scarabaeidae)	CN	y	a	Hill, 1987; China, 1994
<i>Potosia brevitarsis</i> (Lewis) (Coleoptera: Scarabaeidae)	CN	y	a	China, 1994
<i>Proagopertha lucidula</i> Falderman (Coleoptera: Scarabaeidae)	CN	y	a	China, 1994
<i>Prociphilus oriens</i> Mordvilko (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1994
<i>Pseudaulacaspis pentagona</i> Targioni- Tozzetti (Homoptera: Diaspididae)	CN, US	<i>Pyrus</i>	c, o	Nakahara, 1982; Shiraki, 1952
<i>Psuedococcus comstocki</i> Kuwana (Homoptera: Pseudococcidae)	CN, US	f, y	a, c	China, 1994; CIE, 1989; Hill, 1987; Johnson and Lyon, 1988
<i>Psylla aili</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984
<i>Psylla betulaefoliae</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a, k	Hodkinson, 1984, 1986; Yang and Li, 1981
<i>Psylla cangshanli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984
<i>Psylla changli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1984, 1986; Yang and Li, 1981
<i>Psylla chinensis</i> Yang & Li (Homoptera: Psyllidae)	CN	f, y	a	China, 1994; Hodkinson, 1984, 1986; Yang and Li, 1981
<i>Psylla dianli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Psylla erhaili</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984
<i>Psylla heterobetulaefoliae</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a, k	Hodkinson, 1984, 1986; Yang and Li, 1981
<i>Psylla kunmingli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984
<i>Psylla liaoli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1984, 1986; Yang and Li, 1981
<i>Psylla phaeocarpae</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a, k	Hodkinson, 1984, 1986; Yang and Li, 1981
<i>Psylla pyri</i> L. (Homoptera: Psyllidae)	CN	f	a	China, 1994; Hodkinson, 1986; Yang and Li, 1981
<i>Psylla pyricola</i> Foerster (Homoptera: Psyllidae)	CN, US	<i>Pyrus</i>	a, c	Hodkinson, 1984, 1986; Johnson and Lyon, 1988
<i>Psylla qianli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1984, 1986; Yang and Li, 1984
<i>Psylla simaoli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984
<i>Psylla xanthisma</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984
<i>Psylla xiaguanli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984
<i>Psylla yunli</i> Yang & Li (Homoptera: Psyllidae)	CN	<i>Pyrus</i>	a	Hodkinson, 1986; Yang and Li, 1984
<i>Pulvinaria aurantii</i> Cockerell (Homoptera: Coccidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Pygaera anachoreta</i> F. (Lepidoptera: Notodontidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Pygaera inclusa</i> (Hubner) (Lepidoptera: Notodontidae)	CN, US	<i>Pyrus</i>	a	Hodges, <i>et al.</i> , 1983; Shiraki, 1952
<i>Pyrolachnus pyri</i> (Buckton) (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1994

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Quadraspidiotus perniciosus</i> (Comstock) (Homoptera: Diaspididae)	CN, US	f, y	c, o, z _e	China, 1994; Hill, 1987; Nakahara, 1982
<i>Rhaphidopalpa femoralis</i> Motschulsky (Coleoptera: Chrysomelidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Rhodococcus turanicus</i> Arch. (Homoptera: Coccidae)	CN	f	a	China, 1994; Saakyan- Baranova and Borovikova, 1971.
<i>Rhynchites foveipennis</i> Fairm. (Coleoptera: Rhynchitidae)	CN	<i>Pyrus</i>	z _i	China, 1994; Guo, <i>et al.</i> , 1991
<i>Rhynchites heros</i> Roel (Coleoptera: Rhynchitiidae)	CN	<i>Pyrus</i>	z _i	Hanson, 1963; INKTO No. 45; Shiraki, 1952
<i>Sappaphis dipirivora</i> Zhang (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1994
<i>Sappaphis piri</i> Matsumura (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1994
<i>Sappaphis sinipiricola</i> Zhang (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1994
<i>Schizaphis piricola</i> Matsumura (Homoptera: Aphididae)	CN	y	a, n	Blackman and Eastop, 1984; China, 1994; NAS, 1977
<i>Scolytus rugulosus</i> (Ratzeburg) (Coleoptera: Scolytidae)	CN, US	f	a, c	China, 1994; Poole and Gentili, 1996
<i>Selepa celtis</i> Moore (Lepidoptera: Noctuidae)	CN	<i>Pyrus</i>	a	Zhang, 1994
<i>Serica japonica</i> Motschulsky (Coleoptera: Scarabaeidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Serica orientalis</i> Motschulsky (Coleoptera: Scarabaeidae)	CN	y	a	Hill, 1987; China, 1994; Shiraki, 1952
<i>Serica similis</i> Lewis (Coleoptera: Scarabaeidae)	CN	<i>Pyrus</i>	a	Shiraki, 1952
<i>Sipalinus hypocrita</i> (Boheman) (Coleoptera: Curculionidae)	CN	<i>Pyrus</i>	a	Hutacharern, 1978. Shiraki, 1952

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Sirex gigas</i> L (Hymenoptera: Siricidae)	CN	f	a	China, 1994; Spradbery and Kirk, 1981
<i>Spilonota ocellana</i> (Denis & Schiffermuller) (Lepidoptera: Tortricidae)	CN, US	y	a, c	China, 1994; Hill, 1987; Metcalf and Metcalf, 1993
<i>Spilonota lechriaspis</i> Meyrick (Lepidoptera: Tortricidae)	CN	y	a	China, 1994; Hill, 1987; Shiraki, 1952
<i>Spilonota prognathana</i> Snellen (Lepidoptera: Tortricidae)	CN	<i>Pyrus</i>	a	Hill, 1987; Shiraki, 1952; Zhang, 1994
<i>Stephanitis ambigua</i> Hor. (Heteroptera: Tingidae)	CN	<i>Pyrus</i>	a, n	Hill, 1987
<i>Stephanitis nashi</i> Zsaki & Takeya (Heteroptera: Tingidae)	CN	y	a, n	China 1994
<i>Sternoplistes temmincki</i> Guerin (Coleoptera: Cerambycidae)	CN	<i>Pyrus</i>	a	Duffy, 1968; Shiraki, 1952
<i>Synanthedon hector</i> Butler (Lepidoptera: Sesiidae)	CN	f	a	China, 1994; Shiraki, 1952
<i>Telphusa chloroderces</i> Meyrick (Lepidoptera: Gelechiidae)	CN	y	a	China, 1994
<i>Tetranychus kanzawai</i> Kishida (Acarina: Tetranychidae)	CN	<i>Pyrus</i>	a, z _e	Ehara, 1960, 1964; Ehara and Masaki, 1989
<i>Tetranychus turkestanii</i> (Ugarov & Nikolski) (Acarina: Tetranychidae)	CN, US	f	a, c, o	China, 1994; Jeppson <i>et al.</i> , 1975
<i>Tetranychus viennensis</i> Zacher (Acarina: Tetranychidae)	CN	<i>Pyrus</i>	n, z _e	Ehara and Masaki, 1989; Jeppson <i>et al.</i> , 1975
<i>Tetigoniella viridis</i> (L) (Homoptera: Cicadellidae)	CN	f	a	China, 1994
<i>Thosea sinensis</i> Walker (Lepidoptera: Limacodidae)	CN	y	n	China, 1994
<i>Toxoptera aurantii</i> (Boyer de Fonscolombe) (Homoptera: Aphididae)	CN, US	<i>Pyrus</i>	a, c, o	Blackman and Eastop, 1994; Smith and Parron, 1978

Table 2. Pests of *Pyrus*

Scientific name (Homoptera: Aphididae)	Dist. ¹ CN	Host ² <i>Pyrus</i>	Codes ³ a	References Blackman and Eastop, 1984; Shiraki, 1952
<i>Toxoptera odinae</i> van den Goot (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1984; Shiraki, 1952
<i>Toxoptera pyricola</i> Matsumura (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Hill, 1987
<i>Trioza magnisctosa</i> Log (Homoptera: Psyllidae)	CN	f	a	China, 1994
<i>Tuberocephalus momonis</i> (Matsumura) (Homoptera: Aphididae)	CN	<i>Pyrus</i>	a	Blackman and Eastop, 1994; Shiraki, 1952
<i>Urochela luteovaria</i> Distant (Heteroptera: Pentatomidae)	CN	y	a	Hanson, 1963; Japan, 1966; NAS, 1977
<i>Vespa mandarinia</i> Smith (Hymenoptera: Vespidae)	CN	y	b	China, 1994; Hill, 1987
<i>Vespa orientalis</i> L. (Hymenoptera: Vespidae)	CN	f	b	China, 1994; Hill, 1987
<i>Vespa xanthoptera</i> Cameron (Hymenoptera: Vespidae)	CN	<i>Pyrus</i>	b	Shiraki, 1952
<i>Yponomeuta malinellus</i> Zeller (Lepidoptera: Yponomeutidae)	CN, US (NY)	<i>Pyrus</i>	a	Hill, 1987; Zhang, 1994
PATHOGENS				
<i>Alternaria alternata</i> (Fr.) Keissler (Fungi Imperfecti: Hyphomycetes)	CN, US	f	c, o, z _{ei}	Jones <i>et al.</i> , 1990
<i>Alternaria gaisen</i> Nagano (Fungi Imperfecti: Hyphomycetes)	CN	f	z _{ei}	David, 1988; Palm <i>et al.</i> , 1986; Simmons and Roberts, 1993; Tai, 1979
<i>Ascochyta prunicola</i> P. K. Chi (Fungi Imperfecti: Coelomycetes)	CN	f	a	Tai, 1979
<i>Aspergillus niger</i> Tiegh (Fungi Imperfecti: Hyphomycetes)	CN, US	f	o, z _{ei}	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Aureobasidium pullulans</i> (de Bary) G. Amaud (Fungi Imperfecti: Hyphomycetes)	CN, US	f	o	Farr <i>et al.</i> , 1989; Tai, 1979

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Botryosphaeria berengeriana</i> de Notaris f. sp. <i>piricola</i> (Nose) (Loculoascomycetes: Dothideales)	CN, US	f	c, o, z _{ei}	CABI/EPPO, 1992; Farr <i>et al.</i> , 1989
<i>Botrytis cinerea</i> Pers. (Fungi Imperfecti: Hyphomycetes)	CN, US	f	c, o	Jones <i>et al.</i> , 1990
<i>Butlerelfia eustacei</i> Weresub & Illman (Basidiomycetes: Aphyllophorales)	CN, US	f	o, z _{ei}	Jones <i>et al.</i> , 1990
<i>Cercospora piricola</i> Saw. (Fungi Imperfecti: Hyphomycetes)	CN	f	a	Chen <i>et al.</i> , 1958; Tai, 1979
<i>Chondrostereum purpureum</i> (Pers. Ex Fr.) Pouzar (Basidiomycetes: Aphyllophorales)	CN, US	f	a, o	Jones <i>et al.</i> , 1989
<i>Colletotrichum gloeosporioides</i> (Penz.) Penz. & Sacc. In Penz. (Fungi Imperfecti: Coelomycetes)	CN, US	f	c, o, z _{ei}	Farr <i>et al.</i> , 1989; Jones <i>et al.</i> , 1990; Tai, 1979
<i>Coniothyrium piricola</i> Poteb. (Fungi Imperfecti: Coelomycetes)	CN	f	a	Chen 1958; Tai, 1979
<i>Coniothyrium pyrinum</i> (Sacc.) J.Sheid. (Fungi Imperfecti: Coelomycetes)	CN, US	f	a, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Coniothyrium tirolensis</i> Bub. (Fungi Imperfecti: Coelomycetes)	CN	f	a	Tai, 1979
<i>Cytospora carphosperma</i> Sacc. (Fungi Imperfecti: Coelomycetes)	CN	f	a	Tai, 1979
<i>Cytospora leucosperma</i> (Pers.:Fr.) Fr. (Fungi Imperfecti: Coelomycetes)	CN, US	f	a, c, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Diaporthe perniciosa</i> Em. Marchal (Pyrenomycetes: Diaporthales)	CN, US	f	a, c, o	Farr <i>et al.</i> , 1989; Jones <i>et al.</i> , 1989; Tai, 1979
<i>Gymnosporangium asiaticum</i> Miyabe ex G. Yamada (Basidiomycetes: Uredinales)	CN, US	f	a, c, o	Farr <i>et al.</i> , 1989; Kern, 1973; Tai, 1979

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Gymnosporangium fuscum</i> Hedw. f.in DC (Basidiomycetes: Uredinales)	CN, CA	f	a, c, z _{ei} (rare)	CMI, 1977; Jones <i>et al.</i> , 1990; Wang and Guo, 1985; Ziller, 1974
<i>Helicobasidium mompa</i> Tanaka (Basidiomycetes: Auriculariales)	CN	f	a	Jones <i>et al.</i> , 1990; Watson, 1971
<i>Marssonia neilliae</i> (Harkn.) Magnus (Fungi Imperfecti: Coelomycetes)	CN, US	f	a, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Monilinia fructigena</i> Honey in Whetzel (Discomycetes: Helotiales) Anamorph: <i>Monilia fructigena</i>	CN	f	z _{ei}	Chen, 1958; CMI, 1979; Tai, 1979
<i>Monilia laxa</i> (Ehrenb.) Sacc. & Voglino (Fungi Imperfecti: Hyphomycetes)	CN, US	f	c, o, z _{ei}	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Mycosphaerella pomacearum</i> (Corda) Sacc. (Loculoascomycetes: Dothideales)	CN	f	i, z _e	Tai, 1979; Miyamoto, 1997
<i>Mycosphaerella pyri</i> (Auersw.) Boerema (Loculoascomycetes: Dothideales) Anamorph: <i>Septoria pyricola</i>	CN, US	f	c, o, z _e	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Penicillium expansum</i> Link (Fungi Imperfecti: Hyphomycetes)	CN, US	f	c, o, z _{ei}	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Penicillium italicum</i> Wehmer (Fungi Imperfecti: Hyphomycetes)	CN, US	f	c, o, z _{ei}	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Phellinus pomaceus</i> (Pers.) Maire (Basidiomycetes: Aphyllophorales)	CN, US	f	a, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Phoma exigua</i> Desmaz. (Fungi Imperfecti: Coelomycetes)	CN, US	f	c, o, z _{ei}	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Phoma pomorum</i> Thuem. (Fungi Imperfecti: Coelomycetes)	CN, US	f	a, c, o	Farr <i>et al.</i> , 1989; Tai, 1979;
<i>Phomopsis fukushii</i> Tanaka et Endo (Fungi Imperfecti: Coelomycetes)	CN	f	a	Chen, 1958; Tai, 1979

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Phyllactinia pyri</i> (Cast) Homma. (Pyrenomycetes: Erysiphales)	CN	f	a	Chen, 1958; Ling, 1948; Tai, 1979
<i>Phyllactinia pyri-serotinae</i> Saw. (Pyrenomycetes: Erysiphales)	CN	f	a	Watson, 1971
<i>Phyllosticta pirina</i> Sacc. (Fungi Imperfecti: Coelomycetes)	CN	f	a	Tai, 1979
<i>Phytophthora cactorum</i> (Leb. & Cohn) Schroet. (Oomycetes: Peronosporales)	CN, US	f	a, c, o	CMI, 1984; Jones <i>et al.</i> , 1989
<i>Podosphaera clandestina</i> (Wallr.:Fr.) Lev. (Pyrenomycetes: Erysiphales)	CN, US	f	a, c, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Podosphaera leucotricha</i> (Ellis & Everh.) E.S. Salmon (Pyrenomycetes: Erysiphales)	CN, US	f	a, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Polystigma rubra</i> Sacc. (Pyrenomycetes: Phyllachorales)	CN	f	a	Tai, 1979
<i>Pseudocercospora mali</i> (Ellis & Everhart) Deighton (Fungi Imperfecti: Hyphomycetes)	CN, US	f	a, o	Chupp, 1953; Farr <i>et al.</i> , 1989; Tai, 1979
<i>Rhizopus stolonifer</i> (Ehrenb.) Vuill. (Zygomycetes: Mucorales)	CN, US	f	c, o, z _{ei}	Jones <i>et al.</i> , 1990
<i>Schizothyrium pomi</i> (Mont. & Fr.) Arx (Loculoascomycetes: Dothideales)	CN, US	f	c, o, z _i	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Seiridium unicorni</i> (Cooke & Ellis) Sutton (Fungi Imperfecti: Coelomycetes)	CN, US	f	a, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Sphaeropsis malorum</i> Berk. (Fungi Imperfecti: Coelomycetes) Teleomorph: <i>Botryosphaeria obtusa</i>	CN, US	f	c, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Thanatephorus cucumeris</i> (A.B.Frank) Donk (Basidiomycetes: Tulasnellales)	CN, US	f	c, o	Farr <i>et al.</i> , 1989; Tai, 1979

Table 2. Pests of *Pyrus*

Scientific name	Dist. ¹	Host ²	Codes ³	References
<i>Trichothecium roseum</i> (Pers.:Fr.)Link (Fungi Imperfecti: Hyphomycetes)	CN, US	f	c, o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Valsa ambiens</i> (Pers.:Fr.)Fr. (Pyrenomycetes: Diaporthales)	CN, US	f	o	Farr <i>et al.</i> , 1989; Tai, 1979
<i>Venturia pirina</i> Aderh. (Loculoascomycetes: Dothideales) Anamorph: <i>Fusicladium pyrorum</i>	CN, US	f	c, o, z _e	Farr <i>et al.</i> , 1989; Jones <i>et al.</i> , 1989
BACTERIA				
<i>Agrobacterium tumefaciens</i> (Smith & Townsend) Conn.	CN, US	<i>Pyrus</i>	k, o	Bradbury, 1986
<i>Erwinia amylovora</i> (Burril) Winslow, Broadhurst, Buchanan, Krumwiede, Rogers & Smith	CN, US	f	o	Bradbury, 1986
<i>Erwinia carotovora carotovora</i> (Jones) Bergey <i>et al.</i>	CN, US	f	k, o	Bradbury, 1986
VIRUSES				
Apple chlorotic leaf spot	CN, US	<i>Pyrus</i>	k, o	Brunt <i>et al.</i> , 1996
Apple stem pitting	CN, US	<i>Pyrus</i>	k, o	Brunt <i>et al.</i> , 199
Pear rusty skin viroid (syn. Apple scar skin viroid)	CN	f, y	z _i	Chen, <i>et al.</i> , 1989; Hadidi <i>et al.</i> , 1991

¹Geographical distribution is denoted as follows: CA-California, CN-People's Republic of China, FL-Florida, HI-Hawaii, MA-Massachusetts, NA-North America, NC-North Carolina, NY-New York, TX-Texas, US- United States, VA-Virginia, WA-Washington

²Host genera identified in literature and by China: f - fragrant pear, y - ya pear.

³Codes: a - Pest mainly associated with plant part other than commodity

b - Not likely to be a primary plant pest

c - Listed in non-reportable dictionary as non-actionable.

e - Although pest attacks commodity, it would not be expected to remain with the commodity (plant part) during processing

g - Quarantine pest; pest has limited distribution in the U.S. and is under official control as follows: pest listed by name in USDA's pest dictionary, official quarantine action may be taken on this pest when intercepted on this commodity.

h - Quarantine pest; pest has limited distribution in the U.S. and is under official control as follows:(1) pest listed by name in USDA's pest dictionary, official quarantine action may be taken on this pest when intercepted on this commodity and, (2) pest is a program pest (there is an Official Federal or recognized State program for control of this pest beyond its being listed in the pest dictionary as actionable.)

- i - Reported from export country but not known from area of production and processing.
- k - Not specifically listed for host, but reported from other hosts in same plant genus/family.
- n - Listed in the USDA catalogue of intercepted pests as actionable.
- o - Organism does not meet the geographical and regulatory definition for a quarantine pest.
- z_i - Internal feeder: Pest is known to attack or infect commodity and it would be reasonable to expect the pest may remain with the commodity during processing and shipping
- z_e - External feeder: Pest is known to commonly attack or infect commodity and it would be reasonable to expect the pest may remain with the commodity during processing and shipping.

5. List of Quarantine Pests

Table 3. Quarantine Pests - *Pyrus*

ARTHROPODA

- Acleris fimbriana* Thunburg (Lepidoptera: Tortricidae)
- Acrocercops astaurota* Meyrick (Lepidoptera: Gracillariidae)
- Acronicta intermedia* Warren (Lepidoptera: Noctuidae)
- Acronicta rumicis* L. (Lepidoptera: Noctuidae)
- Acronicta strigosa* Denis & Schiffermuller (Lepidoptera: Noctuidae)
- Actias selene* Hubner (Lepidoptera: Saturniidae)
- Adoretus tenuimaculatus* Waterhouse (Coleoptera: Scarabaeidae)
- Adoxophyes orana* (Fischer von Roselerstamm) (Lepidoptera: Tortricidae)
- Agrilus mali* (Matsumura) (Coleoptera: Buprestidae)
- Aleurocanthus spiniferus* (Quaintance) (Homoptera: Aleyrodidae)
- Aleurocanthus woglumi* Ashby (Homoptera: Aleyrodidae)
- Amphipyra pyramidea* L. (Lepidoptera: Noctuidae)
- Amsacta lactinea* (Cramer) (Lepidoptera: Arctiidae)
- Ancylis mandaarinana* Walsingham (Lepidoptera: Tortricidae)
- Anomala corpulenta* Motschulsky (Coleoptera: Scarabaeidae)
- Anoplophora chinensis* Forster (Coleoptera: Cerambycidae)
- Anoplophora glabripennis* Motschulsky (Coleoptera: Cerambycidae)
- Anthonomus pomorum* (L.) (Coleoptera: Curculionidae)
- Anuraphis piricola* Okamoto & Takahashi (Homoptera: Aphididae)
- Aphanostigma iaksuiense* (Kishida) (Homoptera: Aphididae)
- Apocheima cinerarius* Erschov (Lepidoptera: Geometridae)
- Apocheima cinerarius pyri* Erschov (Lepidoptera: Geometridae)
- Apocheima sinuosaria* Leech (Lepidoptera: Geometridae)
- Aporia crataegi* L. (Lepidoptera: Pieridae)
- Aporia germari* (Hope) (Lepidoptera: Pieridae)
- Archips breviplicanus* Walsingham (Lepidoptera: Tortricidae)
- Archips crataeganus* Hubner (Lepidoptera: Tortricidae)
- Archips ingentanus* (Christoph) (Lepidoptera: Tortricidae)
- Archips oporana* (Christoph) (Lepidoptera: Tortricidae)
- Archips xylosteanus* L. (Lepidoptera: Tortricidae)
- Aromia bungii* Fladerman (Coleoptera: Cerambycidae)
- Asias halodendri* (Pallas) (Coleoptera: Cerambycidae)
- Aulacorthum magnoliae* (Essig & Kuwana) (Homoptera: Aphididae)
- Bactorcera dorsalis* Hendel (Diptera: Tephritidae)
- Blastodacna pyrigalla* Yang (Lepidoptera: Agonoxenidae)
- Byctiscus betulae* (L.) (Coleoptera: Curculionidae)
- Calyptotrypus hibinonis* Matsumura (Orthoptera: Gryllidae)
- Canephora asiatica* Staudinger (Lepidoptera: Psychidae)
- Carposina sasakii* Matsumura (Lepidoptera: Carposinidae)
- Celastrina argiolus ladonides* de l'Orza (Lepidoptera: Lycaenidae)
- Cenopalpus ruber* (Wainstein) (Acarina: Tenuipalpidae)
- Ceroplastes japonicus* Green (Homoptera: Coccidae)

- Ceroplastes rubens* Maskell (Homoptera: Coccidae)
Ceroplastes sinensis Del Guercio (Homoptera: Coccidae)
Choristoneura longicellana (Walsingham) (Lepidoptera: Tortricidae)
Chremonoma fortunet Thomson (Coleoptera: Cerambycidae)
Cicadella viridis L. (Homoptera: Cicadellidae)
Cixius nervosus L. (Homoptera: Cixiidae)
Cnidocampa flavescens Walker (Lepidoptera: Limacodidae)
Conobathra bifidella Leech (Lepidoptera: Pyralidae)
Conogethes punctiferalis (Guenee) (Lepidoptera: Pyralidae)
Cossus cossus L. (Lepidoptera: Cossidae)
Cryptotympana atrata (F) (Homoptera: Cicadidae)
Cydia funebrana (Treitschke) (Lepidoptera: Tortricidae)
Cydia inopinata (Heinrich) (Lepidoptera: Tortricidae)
Dasychira pudibunda L. (Lepidoptera: Lymantriidae)
Didesmococcus koreanus Borchsenius (Homoptera: Coccidae)
Dolycoris baccarus L. (Heteroptera: Pentatomidae)
Empoasca flavescens F. (Homoptera: Cicadellidae)
Erthesina fullo (Thunburg) (Heteroptera: Pentatomidae)
Euconocephalus varius Walker (Orthoptera: Tettigoniidae)
Eucorysses grandis Thunberg (Heteroptera: Pentatomidae)
Eudocima fullonia Clerck (Lepidoptera: Noctuidae)
Eudocima salaminea Cramer (Lepidoptera: Noctuidae)
Eudocima tyramnus Guenée (Lepidoptera: Noctuidae)
Eulecanium circumscipul ? Borch. (Homoptera: Coccidae)
Eulecanium kunoense Kuwana (Homoptera: Coccidae)
Eulecanium longisetum Borehs. (Homoptera: Coccidae)
Eulecanium prunastri Aroh. (Homoptera: Coccidae)
Eumeta miniscula Butler (Lepidoptera: Psychidae)
Euproctis bipunctapex Hampson (Lepidoptera: Lymantriidae)
Euproctis subflava Bremer (Lepidoptera: Lymantriidae)
Gastropacha ilicifolia japonica Leech (Lepidoptera: Lasiocampidae)
Gastropacha quercifolia L (Lepidoptera: Lasiocampidae)
Geisha distinctissima Walker (Homoptera: Flatidae)
Halyomorpha picus (F) (Heteroptera: Pentatomidae)
Heterogenea dentata Oberthür (Lepidoptera: Limacodidae)
Holocerus vicarius Walker (Lepidoptera: Cossidae)
Homona coffearia Nietner (Lepidoptera: Tortricidae)
Homalogonia obtusa Walker (Heteroptera: Pentatomidae)
Hoplocampa pyricola Rohwer (Hymenoptera: Tenthredinidae)
Janus gussakovskii Maa (Hymenoptera: Cephidae)
Janus piri Okam and Muram (Hymenoptera: Cephidae)
Lampra bellula Lewis (Coleoptera: Buprestidae)
Lampra limbata Gebler (Coleoptera: Buprestidae)
Langia zenzeroides Moore (Lepidoptera: Sphingidae)
Ledra auditura Walker (Homoptera: Cicadellidae)
Leucoptera malifoliella (O. G. Costa) (Lepidoptera: Elachistidae)

- Liparis aurora* Butler (Lepidoptera: Liparidae)
Lymantria dispar L (Lepidoptera: Lymantriidae)
Lymantria monacha L. (Lepidoptera: Lymantriidae)
Malacosoma neustria testacea Motschulsky (Lepidoptera: Lasiocampidae)
Malacosoma parallela Staudinger (Lepidoptera: Lasiocampidae)
Marumba gaschkevitschii (Bremer & Grey) (Lepidoptera: Sphingidae)
Marumba gaschkevitschii gressitti (Bremer & Grey) (Lepidoptera: Sphingidae)
Metriona thais Boheman (Coleoptera: Chrysomelidae)
Miresa flavidorsalis Staudinger (Lepidoptera: Limacodidae)
Neoris haraldi Schawerda (Lepidoptera: Saturniidae)
Nippolachnus piri Matsumura (Homoptera: Aphididae)
Numonia pirivorella Matsumura (Lepidoptera: Pyralidae)
Odites rycinella Stainton (Lepidoptera: Lecithoceridae)
Odonestis pruni L (Lepidoptera: Lasiocampidae)
Oides leucostolk Meyrick (Coleoptera: Chrysomelidae)
Oraesia excavata Butler (Lepidoptera: Noctuidae)
Orgyia gonostigma approximans Butler (Lepidoptera: Lymantriidae)
Oryctes punctipennis Motschulsky (Coleoptera: Scarabaeidae)
Ovatus malisuctus (Matsumura) (Homoptera: Aphididae)
Oxycarenus hyalinipennis (Costa) (Heteroptera: Lygaeidae)
Oxycetonia jucunda Falderman (Coleoptera: Scarabaeidae)
Pandemis cerasana (Hubner) (Lepidoptera: Tortricidae)
Parabemisia myricae (Kuwana) (Homoptera: Aleyrodidae)
Parapandemis chondrillana Herrich-Schäffer (Lepidoptera: Tortricidae)
Parasa consocia Walker (Lepidoptera: Limacodidae)
Parasa hilarata Staudinger (Lepidoptera: Limacodidae)
Parasa sinica Moore (Lepidoptera: Limacodidae)
Paratracheophorus longicornis Roelofs (Coleoptera: Curculionidae)
Paropsides duodecimpustulata Gebler (Coleoptera: Chrysomelidae)
Pempelia heringii Ragonot (Lepidoptera: Pyralidae)
Phaleria assimilis Bremer & Grey (Lepidoptera: Notodontidae)
Phaleria flavescens Bremer & Grey (Lepidoptera: Notodontidae)
Phlossa conjuncta Walker (Lepidoptera: Limacodidae)
Phyllonorycter ringoniella Matsumura (Lepidoptera: Gracillariidae)
Phyllophaga parallela Motschulsky (Coleoptera: Scarabaeidae)
Platyleura kaempferi F. (Homoptera: Cicadidae)
Popillia quadriguttata Fabricino (Coleoptera: Scarabaeidae)
Potosia brevitarsis (Lewis) (Coleoptera: Scarabaeidae)
Proagopertha lucidula Falderman (Coleoptera: Scarabaeidae)
Prociphilus oriens Mordvilko (Homoptera: Aphididae)
Psylla aili Yang & Li (Homoptera: Psyllidae)
Psylla betulaefoliae Yang & Li (Homoptera: Psyllidae)
Psylla cangshanli Yang & Li (Homoptera: Psyllidae)
Psylla changli Yang & Li (Homoptera: Psyllidae)
Psylla chinensis Yang & Li (Homoptera: Psyllidae)

- Psylla dianli* Yang & Li (Homoptera: Psyllidae)
Psylla erhaiili Yang & Li (Homoptera: Psyllidae)
Psylla heterobetulaefoliae Yang & Li (Homoptera: Psyllidae)
Psylla kunmingli Yang & Li (Homoptera: Psyllidae)
Psylla liaoli Yang & Li (Homoptera: Psyllidae)
Psylla phaeocarpae Yang & Li (Homoptera: Psyllidae)
Psylla pyri L. (Homoptera: Psyllidae)
Psylla qianli Yang & Li (Homoptera: Psyllidae)
Psylla simaoli Yang & Li (Homoptera: Psyllidae)
Psylla xanthisma Yang & Li (Homoptera: Psyllidae)
Psylla xiaguanli Yang & Li (Homoptera: Psyllidae)
Psylla yunli Yang & Li (Homoptera: Psyllidae)
Pulvinaria aurantii Cockerell (Homoptera: Coccidae)
Pygaera anachoreta F. (Lepidoptera: Notodontidae)
Pyrolachnus pyri (Buckton) (Homoptera: Aphididae)
Rhaphidopalpa femoralis Motschulsky (Coleoptera: Chrysomelidae)
Rhodococcus turanicus Arch. ? (Homoptera: Coccidae)
Rhynchites foveipennis Fairm. (Coleoptera: Rhynchitidae)
Rhynchites heros Roel (Coleoptera: Rhynchitiidae)
Sappaphis dipirivora Zhang (Homoptera: Aphididae)
Sappaphis piri Matsumura (Homoptera: Aphididae)
Sappaphis sinipiricola Zhang (Homoptera: Aphididae)
Schizaphis piricola Matsumura (Homoptera: Aphididae)
Selepa celtis Moore (Lepidoptera: Noctuidae)
Serica japonica Motschulsky (Coleoptera: Scarabaeidae)
Serica orientalis Motschulsky (Coleoptera: Scarabaeidae)
Serica similis Lewis (Coleoptera: Scarabaeidae)
Sipalinus hypocrita Boheman (Coleoptera: Curculionidae)
Sirex gigas L (Hymenoptera: Siricidae)
Spilonota lechriaspis Meyrick (Lepidoptera: Tortricidae)
Spilonota prognathana Snellen (Lepidoptera: Tortricidae)
Stephanitis ambigua Hor. (Heteroptera: Tingidae)
Stephanitis nashi Zsaki & Takeya (Heteroptera: Tingidae)
Sternoplistes temmincki Guerin (Coleoptera: Cerambycidae)
Synanthedon hector Butler (Lepidoptera: Sesiidae)
Telphusa chloroderces Meyrick (Lepidoptera: Gelechiidae)
Tetranychus kanzawai Kishida (Acarina: Tetranychidae)
Tetranychus viennensis Zacher (Acarina: Tetranychidae)
Tetigoniella viridis (L) (Homoptera: Cicadellidae)
Thosea sinensis Walker (Lepidoptera: Limacodidae)
Toxoptera odinae van den Goot (Homoptera: Aphididae)
Toxoptera pyricola Matsumura (Homoptera: Aphididae)
Trioza magnisctosa Log (Homoptera: Psyllidae)
Tuberoccephalus momonis (Matsumura) (Homoptera: Aphididae)
Urochela luteovaria Distant (Heteroptera: Pentatomidae)
Yponomeuta malinellus Zeller (Lepidoptera: Yponomeutidae)

PATHOGENS

Alternaria gaisen Nagano (Fungi Imperfecti: Hyphomycetes)
Ascochyta prunicola P. K. Chi (Fungi Imperfecti: Coelomycetes)
Cercospora piricola Saw. (Fungi Imperfecti: Hyphomycetes)
Coniothyrium piricola Poteb. (Fungi Imperfecti: Coelomycetes)
Coniothyrium tirolensis Bub. (Fungi Imperfecti: Coelomycetes)
Cytospora carphosperma Sacc. (Fungi Imperfecti: Coelomycetes)
Helicobasidium mompa Tanaka (Basidiomycetes: Auriculariales)
Monilinia fructigena Honey in Whetzel (Discomycetes: Helotiales)
Mycosphaerella pomacearum (Corda) Sacc. (Loculoascomycetes: Dothideales)
Phomopsis fukushii Tanaka et Endo (Fungi Imperfecti: Coelomycetes)
Phyllactinia pyri-serotinae Saw. (Pyrenomycetes: Erysiphales)
Phyllostictia pirina Sacc. (Fungi Imperfecti: Coelomycetes)
Polystigma rubra Sacc. (Pyrenomycetes: Phyllachorales)

VIRUSES

Pear rusty skin viroid

6. Quarantine Pests Likely to Follow Pathway

Table 4. Quarantine Pests Likely to Follow Pathway - *Pyrus*

ARTHROPODA

Bactrocera dorsalis Hendel (Diptera: Tephritidae)
Carposina sasakii Matsumura (Lepidoptera: Carposinidae)
Conogethes punctiferalis Guenée (Lepidoptera: Pyralidae)
Cydia funebrana (Treitschke) (Lepidoptera: Tortricidae)
Cydia inopinata (Heinrich) (Lepidoptera: Tortricidae)
Numonia pirivorella Matsumura (Lepidoptera: Pyralidae)
Rhynchites foveipennis Fairm. (Coleoptera: Rhynchitidae)
Rhynchites heros Roel (Coleoptera: Rhynchitiidae)
Tetranychus kanzawai Kishida (Acarina: Tetranychidae)
Tetranychus viennensis Zacher (Acarina: Tetranychidae)

PATHOGENS

Alternaria gaisen Nagano
Monilinia fructigena Honey in Whetzel

VIRUSES

Pear rusty skin viroid

Other organisms in this Assessment, not chosen for further scrutiny, may be potentially detrimental to the agricultural production systems of the United States. However, there were a variety of reasons for not subjecting them to further analysis, e.g., they may be associated with the commodity (however, it was not considered reasonable to expect these pests to remain with the commodity during processing); they have been intercepted, as biological contaminants, by PPQ Officers during inspections of these commodities and would not be expected to be found with every shipment. Usually, the biological hazard of organisms identified only to the generic level are not assessed due to the lack of adequate biological/taxonomic information. This lack of biological information on any given insect or pathogen should not be equated with low risk. By necessity, pest risk assessments focus on those organisms for which biological information is available. By developing detailed assessments for known pests that inhabit a variety of niches on the parent species, i.e., on the surface of or within the bark/wood, on the foliage, etc., effective mitigation measures can subsequently be developed to eliminate the known organism and any similar unknown ones that inhabit the same niches.

7. Economic Importance: Consequences of Introduction

Pests rated for potential economic importance are evaluated against five biological factors. The cumulative score for these elements is the Risk Rating (USDA, 1995).

Table 5: Risk Rating - Consequences of Introduction

Pest	Climate/ Host	Host Range	Dispersal	Economic	Environ- mental	Risk Rating
<i>Bactrocera dorsalis</i>	High	High	High	Medium	Medium	High
<i>Carposina sasakii</i>	High	Medium	High	Medium	Medium	High
<i>Conogethes punctiferalis</i>	High	High	High	Medium	Medium	High
<i>Cydia funebrana</i>	High	High	Medium	Medium	Medium	High
<i>Cydia inopinata</i>	High	High	Medium	Medium	Medium	High
<i>Numonia pirivorella</i>	High	Low	High	Medium	Medium	Medium
<i>Rhynchites foveipennis</i>	High	High	Medium	Medium	Medium	High
<i>Rhynchites heros</i>	High	High	Medium	Medium	Medium	High
<i>Tetranychus kanzawai</i>	High	High	High	Medium	Medium	High
<i>Tetranychus viennensis</i>	High	High	High	Medium	Medium	High
<i>Alternaria gaisen</i>	High	Low	Low	Medium	Medium	Medium
<i>Monilinia fructigena</i>	High	Medium	High	Medium	Medium	High
Pear rusty skin viroid	High	Medium	Low	Medium	Low	Medium

8. Likelihood of Introduction

The likelihood of introduction for a pest is rated relative to six factors (Tables 6 and 7) (USDA, 1995)

Table 6: Amount of Commodity Shipped

Number of 40' Containers Annually	Rating
10 - 100	Medium

Table 7: Risk Rating - Likelihood of Introduction

Pest	Likelihood of surviving postharvest treatment	Likelihood of surviving shipment	Likelihood of not being detected at port of entry	Likelihood of moving to suitable habitat	Likelihood of finding suitable hosts	Risk Rating
<i>Bactrocera dorsalis</i>	High	High	High	High	High	High
<i>Carposina sasakii</i>	High	High	High	High	High	High
<i>Conogethes punctiferalis</i>	High	High	High	High	High	High
<i>Cydia funebrana</i>	Low	High	High	High	High	High
<i>Cydia inopinata</i>	Low	High	High	High	High	High
<i>Numonia pirivorella</i>	Low	High	High	High	Low	Medium
<i>Rhynchites foveipennis</i>	Low	High	High	High	High	High
<i>Rhynchites heros</i>	Low	High	High	High	High	High
<i>Tetranychus kanzawai</i>	High	High	High	High	High	High
<i>Tetranychus viennensis</i>	High	High	High	High	High	High
<i>Alternaria gaisen</i>	High	High	Medium	High	Medium	High
<i>Monilinia fructigena</i>	High	High	High	Medium	Medium	High
Pear rusty skin viroid	High	High	High	High	Low	Medium

9. Pest Risk Potential

Pest Risk Potential is the combination of the consequences and likelihood of introductions (Tables 5, 6 and 7) (USDA, 1995).

Table 8: Pest Risk Potential

Pest	Pest Risk Potential
<i>Bactrocera dorsalis</i>	High
<i>Carposina sasakii</i>	High
<i>Conogethes punctiferalis</i>	High
<i>Cydia funebrana</i>	High
<i>Cydia inopinata</i>	High
<i>Numonia pirivorella</i>	Medium
<i>Rhynchites foveipennis</i>	High
<i>Rhynchites heros</i>	High
<i>Tetranychus kanzawai</i>	High
<i>Tetranychus viennensis</i>	High
<i>Alternaria gaisen</i>	High
<i>Monilinia fructigena</i>	High
Pear rusty skin viroid	Medium

Phytosanitary Measures

The summation of the Consequences and Likelihood of Introductions (Tables 5, 6 and 7) yields the Pest Risk Potential (PRP). Pests rated with Low PRPs may require only Port of Entry inspection to maintain phytosanitary security. However, pests with Medium to High PRPs may require phytosanitary measures more stringent than those provided, solely, by Port of Entry inspections.

C. Literature Cited

- Blackman, R. L. and V. F. Eastop. 1985. Aphids on the World's Crops. An Identification Guide. John Wiley & Sons, Chichester. 466pp.
- . 1994. Aphids on the World's Trees. An Identification and Information Guide. CAB International, Wallingford. 986pp.
- Blance, M. 1983. The circular leaf-miner in apple orchards in the Durance Valley. La Defense des Vegetaux. 37:224, 323-331.
- Bradbury, J. F. 1986. Guide to Plant Pathogenic Bacteria, CAB International Mycological Institute, Surrey, England. 332 pp.
- Brunt, A., K. Crabtree, M. Dallwitz, A. Gibbs, & L. Watson. 1996. Viruses of Plants: Descriptions and Lists from the VIDE Database. CAB International, Wallingord, UK. 1484 pp.
- CABI/EPPO. 1992. *Botryosphaeria berengeriana* f. Sp. *piricola*. Data sheets on Quarantine Pests, pp. 420-424. In Quarantine Pests for Europe, CAB International, Wallingford, UK.
- Cantrell, B.K. 1978. Identifying insects -- moths. Queensland Agr. J. 104(3):17-8.
- Carter D. J. 1984. Pest Lepidoptera of Europe with Special Reference to the British Isles. Series Entomologica, V.31. Dr. W. Junk Publishers.
- Chang-sha, S. 1992. Iconography of Forest Insects in Hunan China. 1473pp.
- Chen, W., Yang, X-C. and P. Tien. 1987. Pear rusty skin disease-a viroid disease. Proc. VII Intl. Congr. Virol. p. 308.
- Chen, Y.H.; F.C. Liu; and K.C. Chiang. 1958. Lists of names of fruit tree diseases in N. E. China. Zhibingzhilshi 2. 2. p. 102-108.
- China. 1977. Insect control in the People's Republic of China . A trip report of the American Insect Control Delegation. National Academy of Sciences.
- . 1994. List of organisms attacking pears in China. Supplied by Yao Wenguo (CAPQ).
- Chupp, C. 1953. A Monograph of the Fungus Genus *Cercospora*. Cornell University, Ithaca, NY. 667 pp.
- CIE (Commonwealth Institute of Entomology). 1972. *Panonychus ulmi* (Koch) (Acarina, Tetranychidae) (European or Fruit Tree Red Spider Mite). 2pp.

- . 1976. Map No. 112. *Aleurocanthus spiniferus* Quaint. (Hemipt., Aleyrodidae) (Orange Spiny Whitefly). 2pp.
- . 1978. Map No. 380. *Cydia funebrana* (Treitsch.) (Lep., Tortricidae) (Plum Fruit Maggot, Red Plum Maggot). 2pp.
- . 1980. Map No. 412. *Ceroplastes sinensis* Del G. (Hemipt., Coccoidea) (Chinese Wax Scale). 2pp.
- . 1984. Map No. 461. *Bryobia ribrioculus* (Scheuten) (Acarina: Tetranychidae) (Brown apple mite, brown mite). 2pp.
- . 1989. Map No. 338 (revised). *Pseudococcus comstocki* (Kuwana) (Hemiptera: Coccoidea: Pseudococcidae) (Comstock's mealybug, white peach scale). 2pp.
- . 1992. Map No. 479 (1st revision). *Parabemisia myricae* (Kuwana) (Homoptera: Aleyrodidae) (Japanese bayberry whitefly). 2pp.
- . 1994. Map No. 109 (3rd revision). *Bactrocera dorsalis* (Hendel) (Diptera: Tephritidae) (Oriental fruit fly). 2pp.
- . 1995. Map No. 91 (3rd revision). *Aleurocanthus woglumi* Ashby (Hemiptera: Aleyrodidae) (Citrus blackfly). 2pp.
- Clausen, C. P. 1931. Insects Injurious to Agriculture in Japan. USDA Circular No. 168. U. S. Department of Agriculture. 116pp.
- CMI. 1979. Descriptions of Pathogenic Fungi and Bacteria. Number 617, *Monilinia fructigena*. Commonwealth Mycological Bureaux.
- . 1977. Descriptions of Pathogenic Fungi and Bacteria. Number 545, *Gymnosporangium fuscum*. Commonwealth Agricultural Bureaux.
- . 1984. Distribution Maps of Plant Diseases. Number 280, *Phytophthora cactorum*. Commonwealth Mycological Institute, UK.
- David, J.C. 1988. CMI Description of Pathogenic Fungi and Bacteria. Number 954, *Alternaria kikuchiana*. Commonwealth Mycological Institute, England. 2 pp.
- Duffy, E. A. J. 1968. A Monograph of the Immature Stages of Oriental Timber Beetles (Cerambycidae). British Museum (Natural History), London. 434pp.
- Ebeling, W. 1959. Subtropical Fruit Pests. Univ. of California, 436 pp.

Ehara, S. 1960. On some Japanese tetranychid mites of economic importance. Jap. J. Appl. Entomol. Zool. 4: 234-41.

---. 1964. The tetranychoid mites of Japan. Acarallogia 6: (Suppl. as Proc. First Intl. Congr. Acarol., Ft. Collins, Colorado, Sept 2-7, 1963), pp. 409-414.

Ehara, S. and M. Masaki. 1989. Notes on two Japanese species of *Tetranychus* (Acarina: Tetranychidae). Acta Arachnol. 38:49-54.

EPPO European and Mediterranean Plant Protection Organization Database, Paris, France.

FAO. 1996. International Standards For Phytosanitary Measures. Section 1 - Import Regulations. Guidelines For Pest Risk Analysis (Draft).

FAO. FAO Database

Farr, D.F., G.F. Bills, G.P. Chamuris & A.Y. Rossman. 1989. Fungi on Plants and Plant Products in the United States. American Phytopathological Society, St. Paul, Minnesota. 1252 pp.

Geoffrion, R. 1979. Le cigarier de la vigne *Byctiscus betulae*. Phytoma 313: 23-24

Gill, R. J. 1988. The Scale Insects of California. Part I: The Soft Scales (Homoptera: Coccoidea: Coccidae). California Department of Food and Agriculture, Sacramento. 132pp.

Gunn, C. R. And C. Ritchie. 1982. Report of the Technical Committee to Evaluate Noxious Weeds; Exotic Weeds for Federal Noxious Weed Act. (unpublished).

Guo, R., Yang, M. and W. Wu. 1991. Damage caused by pear curculio in fruit orchards (*Rhynchites foveipennis* Fairmare) and its control in Liangshan Prefecture, Sichuan [China] J. Southwest Agric. Univ. 13: 582-584.

Hadidi, A., Hansen, A. J., Parish, C. L. and X. Yang. 1991. Scar skin and dapple apple viroids are seed-borne and persistnet in infected apple trees. Res. Virol. 142: 289-96.

Hamon, A. B. and M. L. Williams. 1984. Arthropods of Florida and Neighboring Land Areas, vol. 11, The Soft Scale Insects of Florida (Homoptera: Coccoidea: Coccidae). Florida Depart. Agric. Consumer Services, Division of Plant Industry, Gainesville. 194pp.

Hanson, H. C. 1963. Diseases and Pests of Economic Plants of Central and South China, Hong Kong and Taiwan (Formosa). Amer. Inst. Crop Ecology.

Hely, P. C. 1982. Insect Pests of Fruit and Vegetables in New South Wales.

Hill, D.S. 1987. Agricultural Insect Pests of Temperate Regions and Their Control. Cambridge Univ. Press, New York. 59 pp.

Hodges, R.W., Dominick, T., Davis, D. R., Ferguson, D. C., Franclemont, J. G., Munroe, E. G. and J. A. Powell [eds]. 1983. Check List of the Lepidoptera of America North of Mexico. E. W. Classey, London. 284pp.

Hodkinson, I. D. 1984. The taxonomy, distribution and host-plant range of the pear-feeding psyllids (Homoptera: Psylloidea), in *Lutte Intégrée contre les Psylles du Poirier*, Toulouse, 1983. Internat. Org. Biol. Control, West Palaearctic Reg. Bull., pp. 32-44.

---. 1986. The psyllids (Homoptera: Psylloidea) of the Oriental zoogeographical region: an annotated check-list. *J. Nat. Hist.* 20: 299-357.

Holm, L. G., Plucknett D. L., Pancho., J. V. and J. P. Herberger. 1977. The World's Worst Weeds. University of Hawaii Press, Honolulu. 609pp.

---, L. G., Pancho., J. V., Herberger, J. P. and D. L. Plucknett. 1979. A Geographical Atlas of World Weeds. John Wiley and Sons, New York. 301pp.

Hutacharern, C. 1978. The situation of insects and diseases of pines in Thailand in International Union of Forestry Research Organisations (IUFRO): Meeting of IUFRO Working Parties S 2.06.12 and S 2.07.07, Pests and Diseases of Pines in the Tropics. 'Piedras Blancas', Medellin - Colombia, September 3-14, 1978. Instituto Nacional de los Recursos Naturales Renovables y del Ambiente, Bogota, Colombia

INKTO (Insects Not Known to Occur in the United States) No. 8. Nun moth (*Lymantria monacha* L.). USDA. 1p.

--- No. 19. Yellow Peach Moth (*Conogethes punctiferalis* Guen.). USDA. 2pp.

--- No. 39. Lackey moth (*Malacosoma neustria* L.). USDA. 2pp.

--- No. 45. Fruit weevil (*Rhynchites heros* Roelofs). USDA. 4pp.

--- No. 57. Peach fruit moth (*Carposina niponensis* Walsingham). USDA. 2pp.

--- No. 149. Black-veined white butterfly (*Aporia crataegi* Linnaeus). USDA. 2pp.

--- No. 189. Lappet moth (*Gastropacha quercifolia* (L.)). USDA. 2pp.

Japan. 1965. Major Pests of Economic Plants in Japan. Japan Plant Prot. Assoc.

---. 1966. List of Important Diseases and Pests of Economic Plants in Japan. Nihon Tokushu Noyaku Seizo K.k., Tokyo.

- Jeppson, L.R., Keifer, H. H. and E.W. Baker. 1975. Mites Injurious to Economic Plants. Univ. Calif. Press, Berkeley. 614 pp.
- Johnson, W. T. and H. H. Lyon. 1988. Insects That Feed on Trees and Shrubs. 2nd. ed. Cornell Univ. Press, Ithaca. 556pp.
- Jones, A.L. & H.S. Aldwinckle (eds.). 1990. Compendium of Apple and Pear Diseases. APS Press, MN. 100 pp.
- Kern, F.D. 1973. A Revised Taxonomic Account of Gymnosporangium. The Pennsylvania State University Press, University Park, PA. 134 pp.
- Korea, 1972. A List of Plant Diseases, Insect Pests, and Weeds in Korea, Korean Soc. Plant Protect. 1972.
- Krombein, K. V., Hurd, P. D., Jr., Smith, D. R. and B. D. Burks. 1979. Catalog of Hymenoptera in America North of Mexico. Smithsonian Institution Press, Washington. 2735pp.
- Lin, C. S. 1987. Sphingid moths and their larval food plants in Taiwan. J. Taiwan Mus. 40: 101-20.
- Ling, L. 1948. Host Index of the Parasitic Fungi of Szechwan, China. 38 pp.
- McKenzie, H. L. 1967. Mealybugs of California. With Taxonomy, Biology, and Control of North American Species (Homoptera: Coccoidea: Pseudococcidae). University of California Press, Berkeley. 525pp.
- Metcalf, R. L. and R. A. Metcalf. 1993. Destructive and Useful Insects. Their Habits and Control. 5th. ed., McGraw-Hill, Inc., New York.
- Metcalf, Z. P. 1936. General Catalogue of the Hemiptera, Fascicle IV, Fulgoroidea, Part 2, Cixiidae. Smith College, Northampton. 269pp.
- . 1957. General Catalogue of the Hemiptera, Fascicle IV, Fulgoroidea, Part 13, Flatidae and Hypochthonellidae. North Carolina State College, Raleigh. 565pp.
- . 1963. General Catalogue of the Hemiptera, Fascicle VIII, Cicadoidea, Part 1, Cicadidae, Section I, Tibiceninae. Waverly Press, Inc., Baltimore. 585pp.
- . 1968. General Catalogue of the Hemiptera, Fascicle VI, Cicadelloidea, Part 17, Cicadellidae. ARS, USDA, Washington. 1513pp.
- Miyamoto, R. 1994. Travel report: Xinjiang, PROC., August 10, 1994.
- Miyamoto, R. 1997. Memorandum to J. Lightfield, Feb. 20, 1997.

- Nakahara, S. 1982. Checklist of the Armored Scale (Homoptera: Diaspididae) of the Conterminous United States. 110pp.
- NAPPO. 1996. NAPPO Compendium of Phytosanitary Terms. Nepean, Ontario, Canada.
- NAS (National Academy of Sciences). 1977. Insect Control in the People's Republic of China. A Trip Report of the American Insect Control Delegation. CSCPRC Report No. 2. 211pp.
- O'Brien, C. W. and G. J. Wibmer. 1982. Annotated Checklist of the Weevils (Curculionidae *sensu lato*) of North America, Central America, and the West Indies (Coleoptera: Curculionidae). Memoirs Amer. Entomol. Inst. The American Entomological Institute, Ann Arbor. 382pp.
- Palm, M.E.; R. Covery; & C. Wilson. 1986. Technical Advisory Panel Recommendation on Importation of Sand Pears from Japan and Korea. USDA Report. 5 pp.
- Park, K. T. 1986. A larval gall-making species of the genus *Blastodacna* Wocke (Lepidoptera: Momphidae) in Korea. Tyo to Ga 37: 67-71.
- Patel, B. S., Jhala, R. C. and C. B. Patel. 1993. Population dynamics of Chickoo moth, *Nephopteryx eugraphella* (Ragonot) (Pyralidae: Lepidoptera) in relation to weather parameters. Gujarat Agric. Univ. Res. J. 19: 38-46.
- PNKTO (Pests Not Known to Occur in the United States or of Limited Distribution) No. 14: Orange Spiny Whitefly. USDA. 7pp.
- No. 15: Citrus Blackfly. USDA. 11pp.
- No. 31: Apple Blossom Weevil. USDA. 10pp.
- No. 38: Cottonseed Bug. USDA. 6pp.
- No. 49: Plum Fruit Moth. USDA. 12pp
- No. 62: Summer Fruit tortrix Moth. USDA. 10pp.
- No. 63: Pear Leaf Blister Moth. USDA. 12pp.
- Poole, R. W. and P. Gentili [eds.]. 1996. *Nomina Insecta Nearctica*, vol 1: Coleoptera, Strepsiptera. Entomological Information Services, Rockville. 827pp.
- Reed, C. F. 1977. Economically Important Foreign Weeds. Agric. Handbook No. 498. 746pp.

- Roesler, R. U. 1987. Die gattung *Conobathra* Meyrick 1886 (Lepidoptera: Pyraloidea: Phycitinae) in der Palaarktis - Taxonomische Neuorientierung und Beschreibung neuer taxa. Entomol. Zeitschrift 97(3): 17-26.
- Saakyan-Baranova, A. A. and Ye. Z. Borovikova. 1971. *Rhodococcus turanicus* (Arch) (Homoptera: Coccoidea) in the Alma-Ata fruit-growing zone. Entomol. Rev. 50: 13-17.
- Shiraki, T. 1952. Catalog of injurious insects in Japan. Preliminary Study No.71. General Headquarters Allied Powers, Tokyo.
- Simmons, R.G. & R.G. Roberts. 1993. *Alternaria* themes and variations. Mycotaxon 48:109-140.
- Smith, C. F. and C. S. Parron. 1978. An Annotated List of APHIDIDAE (HOMOPTERA) of North America. North Carolina Agric. Expt. Sta. Tech. Bull. No. 255. 428pp.
- Smith, I. M., McNamara, D. G., Scott, P. R. and K. M. Harris [eds]. 1992. Quarantine Pests For Europe. CAB International. 1032pp.
- , Dunez, J., Lelliot, R. A., Phillips, D. H and S. A. Archer. 1988. European Handbook of Plant Diseases. Blackwell Scientific Publication, London, England. 583 pp.
- Smol'yannikov, V. V. 1979. Injurious beetles. Zashchita Rastenii 12: 56-57.
- Spradbery, J. P. and A. A. Kirk. 1981. Experimental studiesn on the responses of European siricid woodwasps to host trees. Ann. Appl. Biol. 98: 179-85.
- Tai, F.L. 1979. Sylloge Fungorum Sinicorum. Science Press. Academia Sinica, Penking, China. 1527 pp.
- Teng, S.C. 1996. Fungi of China. Mycotaxon, Ltd. Ithaca, NY. 586pp.
- USDA. 1995. Pathway-Initiated Pest Risk Assessment: Guidelines for Qualitative Assessments, ver. 4.0. 15pp.
- USSR, 1978. A Handbook of Pests, Diseases, and Weeds of Quarantine Significance.
- Wang, Y.C. & L. Guo. 1985. Taxonomic studies on *Gymnosporangium* in China. Acta Mycologica Sinica 4:24-34.
- Watson, A.J. 1971. Foreing Bacterial and Fungus Diseases of Food, Forage, and Fiber Crops: An annotated list. Agriculture Handbook No. 418. 111 pp.
- WSSA. 1989. Composite List of Weeds. Weed Science Society of America. 112pp.

Yang, C. and F. Li. 1981. The pear psylla (Homoptera) of China with descriptions of seven new species. *Entomotaxonomia* 3: 35-47.

---. 1984. The pear *Psylla* of Yunnan and Guizhou with descriptions of eleven new species (Homoptera: Psyllidae). *Entomotaxonomia* 6: 219-34.

Zhang, B. 1994. Index of Economically Important Lepidoptera. CAB International, Wallingford. 599pp.

Ziller, W. G. 1974. The Tree Rusts of Western Canada. Canadian Forestry Ser. Pub. Number 1329, Victoria BC. 272 pp.